




**ENERG**  
енергия · ενεργεια



**TEFCOLD**

**UR400-I**



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ  
ENERGIJA · ENERGY · ENERGIE  
ENERGI

**478**  
kWh/annum



**265** L



L



**4**

30°C-55%

2015/1094-IV

# PRODUCT FICHE

**TEFCOLD**® 

**Brand:**

**Model:**

**UR400-I**

**Model type:**

**Vertical chilled cabinet**

**Energy efficiency class:**

**C**

**Energy efficiency index:**

**45,8**

**Energy consumption, kWh/24h:**

**1,31**

**Energy consumption, kWh/annual:**

**478**

**Net. volume:**

**265**

**GWP:**

**3**

**Climate class (1):**

**4**

**(1) Climate classes:**

**Climate class 3:**

This appliance is designed for use in ambient temperatures of up to 25 °C, and is therefore not suitable for use in a hot commercial kitchen environment.

**Climate class 4:**

This appliance is designed for use in ambient temperatures of up to 30 °C.


**Climate class 5:**

This appliance is designed for use in ambient temperatures of up to 40 °C.

**2015/1094-IV**




ENERG  
енергия · ενεργεια



TEFCOLD®

UR400-I



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ  
ENERGIJA · ENERGY · ENERGIE  
ENERGI

**478**  
kWh/annum

**265** L

L

**4**  
30°C-55%

2015/1094-IV

# PRODUCT FICHE

**TEFCOLD**® 

**Brand:**

**Model:**

**UR400-I**

**Model type:**

**Vertical chilled cabinet**

**Energy efficiency class:**

**C**

**Energy efficiency index:**

**45,8**

**Energy consumption, kWh/24h:**

**1,31**

**Energy consumption, kWh/annual:**

**478**

**Net. volume:**

**265**

**GWP:**

**3**

**Climate class (1):**

**4**

**(1) Climate classes:**

**Climate class 3:**

This appliance is designed for use in ambient temperatures of up to 25 °C, and is therefore not suitable for use in a hot commercial kitchen environment.

**Climate class 4:**

This appliance is designed for use in ambient temperatures of up to 30 °C.

**Climate class 5:**

This appliance is designed for use in ambient temperatures of up to 40 °C.

**2015/1094-IV**